

TERRACOTTA WAX

Solid, solvent-based wax with a polished, dirt- and stainproof finish on cotto and terracotta



TERRACOTTA WAX is a solvent-based wax polish to treat cotto. It leaves a soft, polished finish with excellent dirt-, scratch- and stainproof properties. Application makes routine maintenance easier, reducing surface friction. The product is recommended for use on all types of cotto and terracotta.

CHARACTERISTICS AND BENEFITS

- ✓ Brings out full surface shine
- ✓ Ready to use
- ✓ Quick and easy application
- ✓ Makes surface maintenance easier
- ✓ Will not yellow

USES

Product **suitable** for indoor use.

Suitable for use on: Cotto and Terracotta.

COVERAGE

20/25 m²/l

APPLICATION EQUIPMENT

Cloth, Spatula, Brush

APPLICATION STEPS

Preparing and cleaning the surface

The product needs to be applied to cotto or terracotta that has previously been treated with a water-repellent primer.

1. Carefully clean the surface, making sure to remove any dust or dirt present.
2. Wait for the surface to be treated to be completely dry.
3. To make product application easier, it is possible to heat the container
4. Apply the product to surfaces with a temperature of between +5 and +40°C

Application

Before applying the product to the whole surface, always test a small, unexposed area or unused piece to check its suitability for use.

5. Use about one spoonful of product on the surface and proceed for about 2 square metres at a time, applying the product evenly with a white, non-abrasive pad or if possible, a mechanical floor polisher with a white pad.
6. Distribute the product until the result is even.

Drying time and opening to floor traffic

9. Wait at least 4 hours before opening the floor to foot traffic.



Waxes and Finishes

TERRACOTTA WAX - Solid, solvent-based wax with a polished, dirt- and stainproof finish on cotto and terracotta



COMPLEMENTARY CLEANING AND MAINTENANCE PRODUCTS

After treating with TERRACOTTA WAX, keep the surface clean with the most suitable Faber product, such as NEUTRAL CLEANER or FLOOR CLEANER, to be selected according to the characteristics of the surface.

INSTRUCTIONS AND GUIDELINES

- Never apply the product to a wet, damp or dirty surface
- Do not apply the product to overly heated surfaces
- When applying to recently laid or grouted surfaces, wait for the adhesive or grout to cure completely.
- Never use in conjunction with other chemical products.
- Before applying the product to the whole surface, it is advisable to test a small, unexposed area or unused piece to check its suitability for use.

EQUIPMENT CLEANING

At the end of application, the equipment used can be cleaned using white spirit.

SAFETY

When applying the product, always use suitable personal protective equipment and carefully follow the instructions on the product safety data sheet.

PHYSICAL-TECHNICAL DATA

Aspect:	Paste-like emulsion
Colour:	Matt or transparent (depending on the storage temperature)
Odour:	Solvent
Flash Point (ASTM D 56)	N.R.
Specific Gravity at 20°C	1520 ± 20 g/l

STORAGE

Keep the container tightly closed and store in a cool, dry place.

SHELF LIFE

36 months in the original, sealed packaging, stored in a cool, dry place.

ACCIDENTAL SPILLS

Soak up the product with an absorbent material (paper towels, sawdust, vermiculite, etc.) and dispose of it in the most suitable waste container.

PACKAGING

- 1 l bottles - 12 bottles per box



Waxes and Finishes

TERRACOTTA WAX Solid, solvent-based wax with a polished, dirt- and stainproof finish on cotto and terracotta



HAZARD IDENTIFICATION



H304	May be fatal if swallowed and enters airways.
P301+P310	IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician.
P331	Do NOT induce vomiting.
P370+P378	In case of fire: Use ... for extinction.
P405	Store locked up.

FABERSURFACECARE.COM

Revision 2.0 – 17/10/2016

This technical data sheet annuls and supersedes all previous versions. Always refer to the most recent version of the technical data sheet, which is available on the website www.fabersurfacecare.com. Faber Chimica reserves the right to update and/or edit the technical data sheet.

The information in this technical data sheet is the result of our broadest research, operation and technical experience. In any case, we recommend always testing a small area of the material on which the product is to be used in order to make sure that it is suitable for its intended use. The information and suggestions indicated are not considered binding and do not render us liable in any way since the conditions and methods of use of this product are not under our control. Therefore Faber Chimica Srl refuses to accept any liability with regard to any data or suggestions.

