



SHOWROOM LINE



## Protective Treatments

# NATURAL LOOK PROTECTOR

**Invisible stain-proof impregnator for the protection of natural stone and medium-high absorbing materials.**

**NATURAL LOOK PROTECTOR** is a solvent-based, stain-proof impregnating treatment for completely invisible and effective protection against staining agents of natural stone and highly absorbent materials.

**NATURAL LOOK PROTECTOR** can also be used as a pre-grouting treatment to protect materials during grouting and washing operations. Its water-repellent action drastically cuts the absorption of water and prevents grout from staining the material, which translates into easier washing processes.

### BENEFITS

- ✓ Great stain-proof protection
- ✓ UV resistant
- ✓ It won't yellow overtime
- ✓ It reduces the ability of the surface to store dirt
- ✓ It makes maintenance easier

### USES

**Suitable** for indoor and outdoor applications.  
**Suitable** for All natural stone, Cotto and terracotta, and all medium- to high-absorbent natural materials

### COVERAGE

10/15 m<sup>2</sup>/l according to the absorption level of the surface being treated

### APPLICATION EQUIPMENT

Brush, roller, lambswool applicator, cloth

### APPLICATION STEPS

*Before applying the product it is necessary taking a preliminary test to evaluate the suitability of the product on an unexposed area or unused piece of material*

#### *Surface Preparation*

- Carefully clean the surface, making sure to remove any dust or dirt present.
- Wait for the surface to be treated to be completely dry.
- All surfaces close by not being treated must be protected
- Apply the treatment on surfaces with a temperature between +5 and +40°C

#### *Application*

- Apply an even layer of product to cover the whole surface being treated, using the tools of choice. Make sure to create an even, seamless layer to cover the whole surface.
- After about 10 minutes from the application start redistributing the residues and excess of product. Keep doing it until all residues have been completely absorbed.
- When applying the product to more absorbing surfaces, apply a second coat about 1 hour after the first one, following the same procedure described above.

#### *Resume Surface Use*

Surfaces will be dry about 1 hour from product application. When used on floor surfaces, wait at least 4-6 hours before opening the floor to foot traffic.

MADE IN ITALY

100%



## SHOWROOM LINE


**COMPLEMENTARY  
MAINTENANCE  
PRODUCTS  
MANUTENZIONE**

After the treatment with **NATURAL LOOK PROTECTOR** we recommend using the most suitable Faber cleaner, such as **NEUTRAL CLEANER** or **FLOOR CLEANER**, depending on the nature of the surface.

**INSTRUCTIONS  
AND GUIDELINES**

- Do not apply the product on wet or heated surfaces
- When applying to recently laid or grouted surfaces, wait for the adhesive or grout to cure completely.
- When used after a water-proof sealer it is necessary to wait for the treatment to dry completely before applying **NATURAL LOOK PROTECTOR**
- Before applying the product it is necessary to take a preliminary test to evaluate its suitability

**EQUIPMENT  
CLEANING**

The equipment used can be cleaned with white spirit

**PHYSICAL AND TECHNICAL DATA**

Formula	Liquid
Color	Clear
Odor	Solvent
Flammability (ASTM D 56)	27 °C open vase
Specific gravity 20°C	890 ± 10 g/l

**STORAGE**

Keep the container tightly closed and store in a cool, dry place.

**SHELF LIFE**

24 months in the original, sealed packaging, stored in a cool, dry place.

**ACCIDENTAL  
SPILLS**

Soak up the product with an absorbent material (paper towels, sawdust, vermiculite, etc.) and dispose of it in the most suitable waste container.

**SAFETY**

When applying the product, always use suitable personal protective equipment and follow the instructions on the product safety data sheet with care.

Rev5.0 – 12/09/2022

**This technical data sheet supersedes all previous versions. Always refer to the latest version of the data sheet, available on [www.fabersurfacecare.com](http://www.fabersurfacecare.com) site. Faber Chimica reserves the right to update and/or modify the data and information contained in the datasheet.**

*The information in this data sheet is based on our wide experience in technical and operational research. In any case, you should always make a preliminary test to verify the suitability of the product for the intended use and the type of material on which it will be applied. The information and the suggestions can't be construed as a commitment or result in our responsibility as the conditions and method of use of the product cannot be controlled by us. Therefore Faber Chimica Srl disclaims any liability concerning the use of such data and suggestions.*