

CEMENT REMOVER

Concentrated acid-based cleaner for end-of-installation cleaning to remove cement residues and inorganic dirt.



CEMENT REMOVER is a concentrated acid-based cleaner specifically developed to wash and clean after installation of flooring or coverings with cement-based grout.

The action of **CEMENT REMOVER** eliminates all residues of glue, grout and varnish, without changing the colour of joints and restoring the original appearance to treated surfaces. It is also extremely effective when it comes to removing inorganic dirt and saline efflorescence.

End-of-installation cleaning with **CEMENT REMOVER** serves to prevent problems that can occur after installation and resulting from a lack of correct cleaning, such as surface patina and more easily soiled surfaces.

CEMENT REMOVER is a product that can be applied to all acid-resistant materials which need washing at the end of the installation process or following grouting operations, carried out with adhesives, mortar or cement-based grout.

CHARACTERISTICS AND BENEFITS

- ✓ A versatile product, suitable for use on different types of material
- ✓ Ready to use
- ✓ Top-level cleaning action
- ✓ Effective on cement-based residues
- ✓ Quick and easy application
- ✓ It is gentle on grout widths but effective against dirt.

USES

This product **can be used** on both indoor and outdoor surfaces.

Suitable for use on: Marble-quartz agglomerate, Slate, Sandstone, Basaltina - Lava stone, Molten basalt, Glazed ceramics, Clinker, Cotto, Granite, Lapped porcelain stoneware, Polished porcelain stoneware, Natural porcelain stoneware, Textured porcelain stoneware, Reconstituted stone (Eco stone), Porphyry, Quartzite, Terracotta, Tuff

COVERAGE

10/15 m²/l

APPLICATION EQUIPMENT

Cloth, mop, single disc machine



Cleaners

CEMENT REMOVER - Concentrated acid-based cleaner for end-of-installation cleaning and to remove cement residues and inorganic dirt.



APPLICATION STEPS

Preparing and cleaning the surface

Cleaning after the installation process must be completed at least two days after grouting the surfaces.

1. Before proceeding to wash the surface, it is advisable to clean away any surface residues, such as dust, debris and coarse dirt, using a broom or a vacuum cleaner.
2. Wait for the surface to be treated to be completely dry.
3. Any adjacent surfaces not being treated with the product must be protected.
4. Apply the product to surfaces with a temperature of between +5 and +40°C

Application

Before applying the product to the whole surface, always test a small, unexposed area or unused piece to check its suitability for use.

5. Dilute the product in clean water. Pour 1 part product into 2 parts water in a bucket.
6. Begin to work the product over the surface, rubbing the surface with the tool of choice.
7. Leave the product to act for 5 - 10 minutes, continuing to wipe over the surface with your tool of choice to boost and aid the cleansing action of the product.
8. After working the product, remove all residues and rinse the whole floor with plenty of water. If the result is only partially achieved, repeat the application process following the same steps and if necessary, slightly increase the concentration of the product in water.

Drying time

9. After carefully removing any residues and rinsing the surface with water, no further action or waiting time is necessary.

Opening to floor traffic

10. After carefully removing any residues and rinsing the surface with water, the floor can be opened to foot traffic.

COMPLEMENTARY CLEANING AND MAINTENANCE PRODUCTS

After treating with CEMENT REMOVER, keep the surface clean with the most suitable Faber product, such as NEUTRAL CLEANER or FLOOR CLEANER, to be selected according to the characteristics of the surface.

INSTRUCTIONS AND GUIDELINES

- Wait at least 2 days after grouting before proceeding with the end of installation washing.
- Never apply the product to a wet surface
- Do not apply the product to overly heated surfaces
- When applying to recently laid or grouted surfaces, wait for the adhesive or grout to cure completely.
- Never use in conjunction with other chemical products.
- Before applying the product to the whole surface, it is advisable to test a small, unexposed area or unused piece to check its suitability for use.



Cleaners

CEMENT REMOVER - Concentrated acid-based cleaner for end-of-installation cleaning and to remove cement residues and inorganic dirt.



EQUIPMENT CLEANING

At the end of application, the equipment used can be washed using water.

SAFETY

When applying the product, always use suitable personal protective equipment and carefully follow the instructions on the product safety data sheet.

PHYSICAL AND TECHNICAL INFORMATION

Aspect:	Transparent liquid
Colour:	Light blue
Odour:	Mint
pH:	1,4 ± 0,5
Specific Gravity at 20°C	1120 ± 10 g/l

STORAGE

Keep the container tightly closed and store in a cool, dry place.

SHELF LIFE

36 months in the original, sealed packaging, stored in a cool, dry place.

ACCIDENTAL SPILLS

Soak up the product with an absorbent material (paper towels, sawdust, vermiculite, etc.) and dispose of it in the most suitable waste container.

PACKAGING

- 1 l bottles - 12 bottles per box
- 5 l cans – 4 cans per box
- 10 l cans – loose cans

HAZARD IDENTIFICATION



H314	Causes severe skin burns and eye damage.
P280	Wear protective gloves/protective clothing/eye protection/face protection.
P303 + P361 + P353	IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower.
P363	Wash contaminated clothing before reuse.
P310	Immediately call a POISON CENTER or doctor/physician.
P305 + P351 + P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P405	Store locked up.



Cleaners

CEMENT REMOVER - Concentrated acid-based cleaner for end-of-installation cleaning and to remove cement residues and inorganic dirt.



Version 2.0 – 5/09/2016

This technical data sheet supersedes all previous versions. Always refer to the latest version of the data sheet, available on www.fabersurfacecare.com site. Faber Chimica reserves the right to update and / or modify the data and information contained in the data sheet.

The information in this data sheet is based on our wide experience in technical and operational research. In any case you should always make a preliminary test to verify the suitability of the product for the intended use and the type of material on which it will be applied. The information and the suggestions can't be construed as a commitment or result in our responsibility as the conditions and method of use of the product cannot be controlled by us. Therefore Faber Chimica Srl disclaims any liability with regard to the use of such data and suggestions.

FABERSURFACECARE.COM

