

## Honing and Polishing

# PORCELAIN RESTORATION CREAM

Water-based cream to restore full-body polished porcelain tiles and glazed polished porcelain tiles.



LINEA  
PROFESSIONALE

**PORCELAIN RESTORATION CREAM** is a water-based cream to be used to restore defects on full-body polished porcelain tiles, glazed polished porcelain tiles and glazed surfaces in general. The product has an ultra-fine micro-abrasive effect that will restore flaws and defects on the surfaces such as:

- Slight abrasions
- Scratches
- Dulness
- Cloudy effects
- Disuniformity
- General wear

**PORCELAIN RESTORATION CREAM** acts without changing the original look of the surface, and could be used inside a complete system to restore and protect the polished or glazed polished porcelain tiles.

### CHARACTERISTICS AND BENEFITS

- ✓ Restores the original appearance of the material without spoiling the surface
- ✓ **Quick and easy** application
- ✓ **Even** looking **finished results**
- ✓ **Water-based** product.
- ✓ **No defects through overlapping**

### USES

This product **can be used** on both indoor and outdoor surfaces.

This product is **suitable** for use on: Full-body polished porcelain tiles, Glazed polished porcelain tiles (Lappato), Glazed surfaces

### COVERAGE

20/30 m<sup>2</sup>/L

### APPLICATION EQUIPMENT

Single disc machine with at least 1.5 HP; manual rotary brush.

Faber Chimica is able to supply the WARRIOR single disc machine, which has a power of 2.2 HP, and is optimised for the correct application of any product.

## Honing and Polishing

**PORCELAIN RESTORATION CREAM** Water-based cream to restore full-body polished porcelain tiles and glazed polished porcelain tiles.



### APPLICATION STEPS

#### Preparing and cleaning the surface

1. Carefully clean the surface, making sure to remove any dust or dirt present. We suggest to use our **DETERFUG** or our **FABER 30**, depending on the nature of dirt and the surface type.
2. We suggest to apply the product on surface sections of 2 m<sup>2</sup> at a time.
4. Apply the product to surfaces with a temperature of between +5 and +40°C
5. Any adjacent surfaces not being treated with the product must be protected.

#### Application

6. Shake the bottle well before used and pour 2/3 spoons of product onto the surface to be treated. This amount is sufficient to treat a surface area of about 2 m<sup>2</sup>.
7. Add a small amount of water to the cream. As a rough guide, each spoonful of product requires around 1 spoon of water.
8. As soon as the water has been added to the cream, proceed to apply it to the surface using the single disc machine, fitted with white pad and set to between 150 and 200 r.p.m. Continue with the single disc machine, taking care to cover the whole surface area evenly with the cream. Try to pass over each section of floor the same number of times.
9. During the application process, the mix must maintain its creamy consistency and therefore, if it should become too dry, gradually add a some drops of water.
10. Continue to pass over the surface with the polisher until the result is as required. This is easy to check during application by removing a small area of product using a squeegee mop or similar, and checking the surface finish.
11. Once the required result has been achieved, vacuum or remove any residues from the surface and rinse with plenty of clean water.

Generally, **PORCELAIN RESTORATION CREAM** will restore the surface within 15-25 passages, but always checks depending on the type of surface

#### Drying time

12. After carefully removing any residues and rinsing the surface with water, no further waiting time is necessary.

#### Opening to floor traffic

13. After carefully removing any residues and rinsing the surface with water, the floor can be opened for use.



FABERSURFACECARE.COM



## Honing and Polishing

**PORCELAIN RESTORATION CREAM** Water-based cream to restore full-body polished porcelain tiles and glazed polished porcelain tiles.



### INSTRUCTIONS AND GUIDELINES

- Do not allow the product to dry during the application process. Frequently check consistency and add water as needed to return the the product to its creamy state.
- Never apply the product to a wet surface
- Do not apply the product to overly heated surfaces
- Apply the product to surfaces with a temperature of between +5 and +40°C
- When applying to recently laid or grouted surfaces, wait for the adhesive or grout to cure completely.
- Before applying the product to the whole surface, it is advisable to test a small, unexposed area or unused piece to check its suitability for use.

### EQUIPMENT CLEANING

At the end of application, the equipment used can be washed using water.

### SAFETY

When applying the product, always use suitable personal protective equipment and follow the instructions on the product safety data sheet with care.

### PHYSICAL AND TECHNICAL INFORMATION

Aspect:	Cream
Colour:	Light blu
Odour:	Soft
pH:	8,5 ± 0,5
Specific Gravity at 20°C	N.D.

### STORAGE

Keep the container tightly closed and store in a cool, dry place.

### SHELF LIFE

36 months in the original, sealed packaging, stored in a cool, dry place.

### PACKAGING

- 5 kg bottle – 4 bottles per box

### DANGEROUS

The product is **NOT SUBJECTED** to dangerous classification according to the latest European Regulation

Version 1.0 – 13/07/2016

This technical data sheet supersedes all previous versions. Always refer to the latest version of the data sheet, available on [www.fabersurfacecare.com](http://www.fabersurfacecare.com) site. Faber Chimica reserves the right to update and / or modify the data and information contained in the data sheet. The information in this data sheet is based on our wide experience in technical and operational research. In any case you should always make a preliminary test to verify the suitability of the product for the intended use and the type of material on which it will be applied. The information and the suggestions can't be construed as a commitment or result in our responsibility as the conditions and method of use of the product cannot be controlled by us. Therefore Faber Chimica Srl disclaims any liability with regard to the use of such data and suggestions

FABER CHIMICA SRL – VIA G.CERESANI, 10 – LOC.CAMPO D'OLMO – 60044 – FABRIANO (AN) – ITALY

Phone: +39 0732 627178 | Fax: +39 0732 22935 | Email: [info@faberchimica.com](mailto:info@faberchimica.com)

Pag. 3 di 3



FABERSURFACECARE.COM

